




## COMPOSITION



>> Please note: the picture is not a true representation of the actual plank. Please see the actual sample for an accurate idea

## SPECIFICATIONS

BRAND	KAINDL ENDLESS WIDE PLANKS	
PLANK SIZE	1380 x 244 x 8 mm	
CORE BOARD	Direct pressure laminate substrate: Low swelling HDF core board, E1	
TOP FACE	Highly resistant surface with corundum Al <sub>2</sub> O <sub>3</sub> + soaked with melamine resins	
BACK FACE	Melamine soaked balancing layer	
LOC SYSTEM	Kaindl Loc Glueless installation system having a locking strength of 800 - 900 kgs/ linear mtr	
THICKNESS SWELLING	< 18% according to EN 13329;	< 12% according to EN 317
ABRASION CLASS	AC 4 / 32	
IMPACT CLASSIFICATION	IC 2	
DECOR	As seen in sample kit	
BENEFITS	<ul style="list-style-type: none"> <li># Extra long planks (138 cms) for neater finish</li> <li># High moisture protection &amp; structural strength</li> <li># Extra wide 244 mm planks adds to charm</li> <li># Extra strong lock system - tighter joints</li> <li># Enhanced floor life</li> <li># New Shiny pore technology adds richness'</li> </ul>	
GUARANTEE	30 years guarantee*	
	* as per Kaindl's original quality guarantee	



**Span Floors Pvt. Ltd.**

**25/35, Punjabi Bagh West**

**New Delhi – 110026**

**INDIA**

**Tel: +91-11-25220033, 25223032,**

**25221991, 64541701 & 64554705**

**Fax: +91-11-25221990**

**Email: [floors@spanfloors.com](mailto:floors@spanfloors.com)**

**Website: [www.spanfloors.com](http://www.spanfloors.com)**